


Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager Release Notes



Version 7.10.0

Note

Before using this information and the product it supports, read the information in Appendix A "Notices" on page 5.

Seventh Edition (December 2020)

© Copyright Lenovo 2014, 2020. Portions © Copyright IBM Corporation 2014

LIMITED AND RESTRICTED RIGHTS NOTICE: If data or software is delivered pursuant to a General Services Administration (GSA) contract, use, reproduction, or disclosure is subject to restrictions set forth in Contract No. GS-35F-05925.

Contents

About this publication		•	•		•	•	•	•	•	.iii
Conventions and terminology Web resources										
Chapter 1. What's new 7.10.0								•		. 1
Chapter 2. Known lim	ita	ati	or	າຣ						. 3

Known limitations								
Known problems and workarounds	·	·	•	·	·	·	·	. 3
Appendix A. Notices								5
	•	•	•	•	•	•	•	
Trademarks								

About this publication

These Release Notes provide the latest information for Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

The System Updates Acquisition and Publishing Tool is the core component in Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager. The System Updates Acquisition and Publishing Tool provides you with the ability to acquire updates from either the Lenovo Web site or from a local computer by importing the updates, and then publishing the updates to the Windows Server Update Services (WSUS) server.

Conventions and terminology

Paragraphs that start with a bold **Note**, **Important**, or **Attention** are notices with specific meanings that highlight key information.

Note: These notices provide important tips, guidance, or advice.

Important: These notices provide information or advice that might help you avoid inconvenient or difficult situations.

Attention: These notices indicate possible damage to programs, devices, or data. An attention notice appears before the instruction or situation in which damage can occur.

The following table describes some of the terms, acronyms, and abbreviations used in this document.

Term/Acronym	Definition
SCCM	System Center Configuration Manager
SSL	Secure Sockets Layer
WSUS	Windows Server Update Services
Lenovo XClarity Essentials OneCLI	A collection of command line applications which are used to manage Lenovo servers.

Table 1. Frequently used terms and acronyms

Web resources

The following Web sites provide resources for understanding, using, and troubleshooting System x[®], Flex System, BladeCenter servers, and systems-management tools.

Lenovo Web site for Microsoft Systems Management Solutions for Lenovo servers

Locate the latest downloads for the System Center Configuration Manager:

Lenovo XClarity Integrator System Updates Web site

System Management with Lenovo XClarity Solutions

This Web site provides an overview of the Lenovo XClarity solutions that integrate System x and Flex System hardware to provide system management capability:

System Management with Lenovo XClarity Solution Web site

Lenovo technical support portal

This Web site can assist you in locating support for hardware and software:

Lenovo Support Portal Web site

Lenovo ServerProven Web site

This Web site provide the information about hardware compatibility with Lenovo ThinkSystem, System x, BladeCenter, and Flex System servers:

Lenovo ServerProven Compatibility Web site

Microsoft System Center Web site

This Web site can assist you in locating Microsoft System Center products:

Microsoft System Center Web site

Chapter 1. What's new in version 7.10.0

This section provides an overview of features that are new to Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

New hardware support

- Lenovo ThinkSystem
 - SR645 (7D2X, 7D2Y)
 - SR665 (7D2V, 7D2W)
 - SR850 V2 (7D31,7D32,7D33)
 - SR860 V2 (7Z59, 7Z60, 7D42)
- Lenovo ThinkAgile
 - HX1020 (7D2T)
 - HX1021 (7D1Z, 7D20, 7D29)
 - HX2710/3710 (8689)
 - MX3520 (7D5R)
 - MX1020 (7D5S, 7D5T)

New Microsoft System Center Configuration Manager support

• Microsoft Endpoint Configuration Manager 2002

2 Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration ManagerRelease Notes

Chapter 2. Known limitations

The topics in this section provide information about limitations, problems, and workarounds that are applicable to Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

Known limitations

The following limitations are applicable to Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

The installer does not prompt to exit during a multi-instance installation.

The installer does not prompt to exit during a multi-instance installation, which leads to an installation failure.

Workaround: Cancel the multi-instance installation manually.

Lenovo System Updates fails to publish updates

If the network is unavailable or unstable, Lenovo System Updates will fail to publish updates. This is normal behavior.

Workaround: After the network is repaired, you can try to publish the updates again.

Some updates fail to install

Some updates may not install on the client system. This situation could occur for different reasons.

Workaround: To determine the cause, see the Troubleshooting section in the Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

Device drivers are installed but not listed in the Device Management Console

Although the device drivers is installed successfully, they are not listed in the Device Management Console on the target systems.

Workaround: This is a limitation of the device drivers. However, a driver can be installed even if the physical hardware is not installed first.

Device driver is installed successfully but the version is not updated in Device Management Console

Although a device driver is installed successfully, the version displayed on the Device Management Console is the previous version.

Workaround: This is a limitation of the device drivers, no action is required. Device drivers support multiple operating systems, but the driver might behave differently depending on the operating system.

Known problems and workarounds

The following known problems and workarounds are applicable to Lenovo XClarity Integrator System Updates for Microsoft System Center Configuration Manager.

System Updates installation fails if UAC is enabled

The installation of System Updates, version 3.1 fails if User Account Control (UAC) is enabled.

Workaround: To successfully install System Updates, version 3.1, the Administrator account must be used to complete the installations, and the **User Account Control** (UAC) must switch must be turned off.

Some updates remain active on an MSCCM managed client after a failed installation

Although some updates fail to install, the updates might remain active on the Microsoft System Center Configuration Manager (MSCCM) managed client.

Workaround: You can rename the file or ignore the active updates that remain.

Appendix A. Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area.

Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service.

Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc. 8001 Development Drive Morrisville, NC 27560 U.S.A. Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary.

Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk.

Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Trademarks

LENOVO, FLEX SYSTEM, SYSTEM X, and NEXTSCALE SYSTEM are trademarks of Lenovo.

Intel and Xeon are trademarks of Intel Corporation in the United States, other countries, or both.

Microsoft and Windows are trademarks of the Microsoft group of companies.

Linux is a registered trademark of Linus Torvalds.

All other trademarks are the property of their respective owners. © 2020 Lenovo

Important notes

Processor speed indicates the internal clock speed of the microprocessor; other factors also affect application performance.

When referring to processor storage, real and virtual storage, or channel volume, KB stands for 1 024 bytes, MB stands for 1 048 576 bytes, and GB stands for 1 073 741 824 bytes.

When referring to hard disk drive capacity or communications volume, MB stands for 1 000 000 bytes, and GB stands for 1 000 000 000 bytes. Total user-accessible capacity can vary depending on operating environments.

Lenovo makes no representations or warranties with respect to non-Lenovo products. Support (if any) for the non-Lenovo products is provided by the third party, not Lenovo.

Some software might differ from its retail version (if available) and might not include user manuals or all program functionality.

