
# Lenovo

Lenovo XClarity Integrator for VMware vRealize Orchestrator Release Notes



Version 1.0

| Note  |
|---|
| Before using this information and the product it supports, read the information in Appendix A "Notices" on page 3.  |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
| First Falting (Many 2045)   |
| First Edition (May 2015) © Copyright Lenovo 2015.   |
|   |
| LIMITED AND RESTRICTED RIGHTS NOTICE: If data or software is delivered pursuant to a General Services Administration "GSA" contract, use, reproduction, or disclosure is subject to restrictions set forth in Contract No. GS-35F-05925 |

# **Contents**

| About this publication      | iii        | Known limitations and workarounds |   |  |
|-----------------------------|------------|-----------------------------------|---|--|
| Conventions and terminology | iii<br>iii | Appendix A. Notices               | 4 |  |
| About this release          |            | Index                             | 5 |  |

© Copyright Lenovo 2015, 2015

i

# **About this publication**

The user's guide provides the latest information about the Lenovo XClarity Integrator for VMware vRealize Orchestrator.vmoapp plug-in, a plug-in to the VMware vRealize Orchestrator that provides workflows that interact with Lenovo XClarity Administrator.

# Conventions and terminology

This publication uses conventions and special terms that will aid in your use of the information.

Paragraphs that start with a bold **Note**, **Important**, or **Attention** are notices with specific meanings that highlight key information.

**Note:** These notices provide important tips, guidance, or advice.

**Important:** These notices provide information or advice that might help you avoid inconvenient or difficult situations.

**Attention:** These notices indicate possible damage to programs, devices, or data. An attention notice appears before the instruction or situation in which damage can occur.

#### Frequently used terms

Table 1. Frequently used terms and acronyms

| Term/acronym | Definition                    |
|--------------|-------------------------------|
| LXCA         | Lenovo XClarity Administrator |
| LXCI         | Lenovo XClarity Integrator    |
| vRO          | VMware vRealize Orchestrator  |

#### Information resources

You can find additional information about Lenovo XClarity Integrator for VMware vRealize Orchestrator in the product documentation and on the World Wide Web.

#### **PDF** files

View or print documentation that is available in Portable Document Format (PDF).

#### **Downloading Adobe Acrobat Reader DC**

You need Adobe Acrobat Reader DC to view or print these PDF files. You can download a copy from the Adobe Acrobat website.

#### Viewing and printing PDF files

You can view or print any of the PDF files located on the web. The most current version of each document for Lenovo XClarity Integrator for VMware vRealize Orchestrator is available on the Lenovo XClarity Integrator for VMware website.

#### Saving PDF files

To save a PDF file, complete the following steps:

1. Right-click the link to the PDF in your browser.

2. Perform one of the following tasks.

| Web browser           | Command               |
|-----------------------|-----------------------|
| For Internet Explorer | Click Save Target As. |
| For Mozilla           | Click Save Link As.   |

- 3. Navigate to the directory in which you want to save the PDF file.
- 4. Click Save.

## **World Wide Web resources**

You can find additional information about Lenovo XClarity Integrator for VMware vRealize Orchestrator in the product documentation and on the World Wide Web.

#### Lenovo XClarity Integrator for VMware vRealize Orchestrator site

Locate the latest downloads for the Lenovo XClarity Integrator for VMware vRealize Orchestrator:

Lenovo XClarity Integrator for VMware website

#### System Management with Lenovo XClarity Solutions

This website provides an overview of the Lenovo XClarity solutions that integrate System x and Flex System hardware to provide system management capability:

System Management with Lenovo XClarity Solution website

#### Lenovo technical support portal

This website can assist you in locating support for hardware and software:

· Lenovo Support Portal website

#### ServerProven websites

The following websites provide an overview of hardware compatibility for BladeCenter, Flex System, System x, and xSeries® hardware:

- Lenovo ServerProven: Compatibility for BladeCenter products
- Lenovo ServerProven: Compatability for Flex System Chassis
- Lenovo ServerProven: Compatability for System x hardware, applications, and middleware

#### VMware vRealize Orchestrator website

Locate documentation in several formats to assist you with installing, using, and developing with VMware vRealize Orchestrator

VMware vRealize Orchestrator Documentation website

### About this release

The topics in this section provide specific information about the current release.

#### What's new in this release

This topic provides information about new and enhanced features of Lenovo XClarity Integrator for VMware vRealize Orchestrator Version 1.0.

#### Inventory view

Lenovo XClarity Integrator for VMware vRealize Orchestrator shows all connected Lenovo XClarity Administrator instances and managed servers in the Inventory view. You can view object information in the Inventory view and run available workflows against the object.

#### Workflow library

Lenovo XClarity Integrator for VMware vRealize Orchestrator provides a workflow library that allows you to run automated processes related to the management of Lenovo XClarity Administrator instances. Standard workflows allow you to secure an available server for provisioning, apply a configuration pattern, and deploy ESXi on the server. Sample workflows demonstrate how to combine standard workflows to create more complex ones, such as adding a bare-metal server to vCenter cluster in one step.

### **Known limitations and workarounds**

There are no known limitations or workarounds for Lenovo XClarity Integrator for VMware vRealize Orchestrator .

# Appendix A. Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area.

Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service.

Lenovo may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Lenovo (United States), Inc. 1009 Think Place - Building One Morrisville, NC 27560 U.S.A.

Attention: Lenovo Director of Licensing

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. Lenovo may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary.

Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk.

Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

© Copyright Lenovo 2015, 2015

#### **Trademarks**

Lenovo, the Lenovo logo, Flex System, System x, and NeXtScale System are trademarks of Lenovo in the United States, other countries, or both.

Intel and Intel Xeon are trademarks of Intel Corporation in the United States, other countries, or both.

Internet Explorer, Microsoft, and Windows are trademarks of the Microsoft group of companies.

Linux is a registered trademark of Linus Torvalds.

Other company, product, or service names may be trademarks or service marks of others.

### Important notes

Processor speed indicates the internal clock speed of the microprocessor; other factors also affect application performance.

When referring to processor storage, real and virtual storage, or channel volume, KB stands for 1 024 bytes, MB stands for 1 048 576 bytes, and GB stands for 1 073 741 824 bytes.

When referring to hard disk drive capacity or communications volume, MB stands for 1 000 000 bytes, and GB stands for 1 000 000 000 bytes. Total user-accessible capacity can vary depending on operating environments.

Lenovo makes no representations or warranties with respect to non-Lenovo products. Support (if any) for the non-Lenovo products is provided by the third party, not Lenovo.

Some software might differ from its retail version (if available) and might not include user manuals or all program functionality.

# Index

| A  |
|--|
| About this publication iii acronyms iii  |
| С  |
| conventions iii  |
| D  |
| Downloading Adobe Acrobat Reader iii   |
| F  |
| features 1   |
| I  |
| important notes 4  |
| Information resources iii Inventory view 1   |
| L  |
| limitations 1  |
| N  |
| notices 3  |
| P  |
| PDF files iii  |
| _  |
| R  |
| Release information 1 Release notes iii  |
| S  |
| saving PDF files iii ServerProven pages iv Support Portal iv Systems Technical support site iv |
| Т  |
| terminology iii  |

# W

Web resources iv websites iii workarounds 1 Workflow library 1

# Lenovo